

## Approved Use

NUCALA is an add-on, prescription maintenance treatment of eosinophilic chronic obstructive pulmonary disease (COPD) in adults whose disease is not controlled. NUCALA is not used to treat sudden breathing problems.

## **Important Safety Information**

**Do not use NUCALA** if you are allergic to mepolizumab or any of the ingredients in NUCALA.

Do not use to treat sudden breathing problems.

Please see additional Important Safety Information throughout. Please see full <u>Prescribing Information</u>, including <u>Patient Information</u>, for NUCALA at <u>NUCALA.com</u>.

## **COULD MORE BE GOING ON?**

Struggling with flare-ups *even* on maintenance inhaler treatments could mean your COPD symptoms are uncontrolled. *And* it could be a sign that you have a **different kind of COPD**.

## SIGNS YOUR COPD MAY BE UNCONTROLLED



Reduced activity



More frequent use of a rescue inhaler



A hospital/ ER visit



An oral steroid/ antibiotic treatment

## WHAT'S A FLARE-UP?

Flare-ups (or exacerbations) are when symptoms get so bad you may need additional treatments—like antibiotics or steroids—or even a trip to the hospital.

Having just one flare-up can decrease your lung function, so finding the right treatment for your COPD is important.



## FACT:

**About 40%**\* of people with COPD have elevated levels of blood eosinophils, which increases the risk of flare-ups.
\*34-49%

Please see additional Important Safety Information throughout.

Please see full <u>Prescribing Information</u>, including <u>Patient Information</u>, for NUCALA at <u>NUCALA.com</u>.

## **LET'S TALK SCIENCE**

The inflammation triggering your flare-ups could be caused by eosinophils. Eosinophils are normal white blood cells that are part of your immune system. But too many of them may lead to inflammation in your lungs, which can cause flare-ups.







NUCALA TARGETS

INFLAMMATION

& REDUCES EOSINOPHILS\*

**NUCALA helps target inflammation that can trigger flare-ups** by reducing eosinophils and getting them back within normal levels.

†It is not fully understood how NUCALA works.



## SEE NUCALA IN ACTION.

Watch the video to see how NUCALA can help treat a different kind of COPD and find out if it may be able to help you. Visit NUCALA.com/HowItWorks

## Important Safety Information (cont'd)

## NUCALA can cause serious side effects, including:

- allergic (hypersensitivity) reactions, including anaphylaxis. Serious allergic
  reactions can happen after you get your NUCALA injection. Allergic reactions
  can sometimes happen hours or days after you get a dose of NUCALA. Tell your
  healthcare provider or get emergency help right away if you have any of the
  following symptoms of an allergic reaction: swelling of your face, mouth,
  and tongue; breathing problems; fainting, dizziness, feeling lightheaded
  (low blood pressure); rash; hives.
- herpes zoster infections that can cause shingles have happened in people who received NUCALA.

Please see additional Important Safety Information throughout.
Please see full <u>Prescribing Information</u>, including <u>Patient</u>
<u>Information</u>, for NUCALA at <u>NUCALA.com</u>.



# IT'S A DIFFERENT KIND OF COPD TREATMENT

Not an inhaler or a steroid-it's a biologic. NUCALA is a once-monthly\* injection for COPD that, when added to your current treatment, can help reduce flare-ups. You know what else? With the easy-to-use Autoiniector.† vou can take your injection right at home.



## ONCE A MONTH. AT HOME.

ON YOUR TIME. =

Prefer getting your injections at your specialist's office? No problem. You can get your NUCALA injections at your specialist's office every 4 weeks.

It's important to monitor for serious allergic reactions after injection, either in your specialist's office or at home. Sometimes serious allergic reactions, including anaphylaxis, can happen hours or days after you get your NUCALA injection.

#### Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. Do not stop taking your other medicines, including your corticosteroid medicines, unless instructed by your healthcare provider because this may cause other symptoms to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if NUCALA may harm your unborn baby.

Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.



<sup>\*</sup>Every 4 weeks.

<sup>†</sup>Severe asthma patients rated the Autoinjector as easy-to-use after training. See full Instructions for Use.



## **ONCE YOU'RE PRESCRIBED...**

Together with NUCALA is here to help. Together with NUCALA is more than a program—it's our promise to support you through the moments that matter in your care.





## COVERAGE SUPPORT

We'll check your insurance coverage and help you understand your benefits.\*



#### **COST SUPPORT**

Whether you're insured or not, we're here to let vou know about the options to help pay for NUCALA if you are eligible.

7



## **PATIENT SUPPORT**

Your Patient Navigator is at the heart of our program, offering tailored support throughout your treatment journey.†

## Ready to learn more?

Visit TogetherwithNUCALA.com or call 1-844-Call-TwGSK (844-225-5894).

\*The information provided by Together with NUCALA is not a guarantee of coverage or payment.

†Your Patient Navigator does not provide medical advice and is not a part of your doctor's care team. Please ask your doctor any questions that you might have about your disease and treatment with NUCALA.

#### Are you commercially insured? Pay as little as \$0 for NUCALA.

Subject to program maximums.

The NUCALA Copay Program helps eligible commercially insured patients with their eligible out-of-pocket costs for NUCALA.

<sup>‡</sup>Program annual maximums apply. Visit <u>NucalaCopayProgram.com</u> for information about eligibility and full program terms and conditions.

#### Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you (cont'd):

- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use NUCALA and breastfeed. You should not do both without talking with your healthcare provider first.
- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements.

The most common side effects of NUCALA include: headache, injection site reactions (pain, redness, swelling, itching, or a burning feeling at the injection site), back pain, and tiredness (fatigue). Diarrhea and cough have been reported with COPD.

Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.

# MEET A DIFFERENT KIND OF COPD TREATMENT

It's not an inhaler or a steroid. NUCALA is the first and only once-monthly\* COPD biologic that targets inflammation by reducing eosinophils.†

\*Every 4 weeks.

†It is not fully understood how NUCALA works.

# WHAT COULD ADDING NUCALA MEAN FOR YOU?



**LESS** flare-ups



**LESS** flare-up related hospital visits<sup>‡</sup>

Results may vary.

Based on the limits of the study, this result is descriptive.



LESS total doses per year vs other COPD biologic<sup>§</sup>

No comparative efficacy or safety conclusions can be drawn from this information.

<sup>§</sup>Every 4 weeks vs every other week.

## DON'T WAIT.

Ask your specialist if NUCALA is right for your kind of COPD.

## **VISIT NUCALA.COM/COPD**

## **Important Safety Information**

**Do not use NUCALA** if you are allergic to mepolizumab or any of the ingredients in NUCALA.

Do not use to treat sudden breathing problems.

Please see additional Important Safety Information throughout.
Please see full <u>Prescribing Information</u>, including <u>Patient Information</u>, for NUCALA at <u>NUCALA.com</u>.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="https://www.fda.gov/medwatch">www.fda.gov/medwatch</a> or call <a href="https://www.fda.gov/medwatch">1-800-FDA-1088</a>. You may also report negative side effects to GSK at <a href="mailto:gsk.public.reportum.com">gsk.public.reportum.com</a> or <a href="https://www.fda.gov/medwatch">1-888-825-5249</a>.

If you have questions about how to access or pay for NUCALA, call **1-844-Call-TwGSK** (**844-225-5894**).

Trademarks are owned by or licensed to the GSK group of companies. ©2025 GSK or licensor. PMUS-MPLBROC250008 October 2025 Produced in USA. 0002-0041-69

