

**EOSINOPHILIC
GRANULOMATOSIS
WITH POLYANGIITIS**

ENOUGH OF THE ENDLESS QUESTIONS.

**LET'S FIND SOME
EGPA ANSWERS.**

Nucala 
(mepolizumab)

Approved Use

NUCALA is a prescription medicine for the treatment of adults with eosinophilic granulomatosis with polyangiitis (EGPA).

Important Safety Information

Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA.

Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for NUCALA at [NUCALA.com](https://www.nucala.com).

HERE'S WHAT WE KNOW ABOUT EGPA

IT CAN BE TRICKY TO DIAGNOSE

Getting an EGPA diagnosis and treatment can be a long, frustrating journey. Many people with EGPA spend years seeing multiple doctors and specialists trying to get to the bottom of their symptoms. So, if that's been your experience, you're definitely not alone.

EGPA is a rare disease that can be overlooked and hard to diagnose. Some of the symptoms, like trouble breathing, sinus problems, and rashes, can be attributed to other diseases, which can make EGPA difficult to pin down.

SOME SIGNS OF EGPA

EGPA symptoms can vary by patient and over time, potentially affecting different parts of your body:



Airways



Ears, nose & throat



Heart



Eyes



Nerves



Stomach & intestines



Kidneys



Skin

**LEARN THE SIGNS OF EGPA.
ADVOCATE FOR YOURSELF.**

WHAT'S GOING ON IN YOUR BODY

Understanding EGPA starts with understanding the role of eosinophils—normal white blood cells in your immune system. If you have EGPA, you may have **increased levels of eosinophils** that can lead to inflammation and may cause you to experience more symptoms and flares.



**NUCALA TARGETS
INFLAMMATION
& REDUCES EOSINOPHILS***

NUCALA targets inflammation and reduces eosinophils in the blood. It's the **first FDA-approved treatment for EGPA** and may help you achieve remission.

Results may vary.

*It is not fully understood how NUCALA works.

YOUR NEXT MOVE.

Discuss your symptoms with your doctor and ask about blood testing to measure your eosinophil count. Your doctor will consider these results and a combination of other factors to help make the right diagnosis.

Important Safety Information (cont'd)

NUCALA can cause serious side effects, including:

- **allergic (hypersensitivity) reactions, including anaphylaxis.** Serious allergic reactions can happen after you get your NUCALA injection. Allergic reactions can sometimes happen hours or days after you get a dose of NUCALA. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction: swelling of your face, mouth, and tongue; breathing problems; fainting, dizziness, feeling lightheaded (low blood pressure); rash; hives.
- **herpes zoster infections** that can cause shingles have happened in people who received NUCALA.

Please see additional Important Safety Information throughout. Please see full **Prescribing Information, including Patient Information**, for NUCALA at NUCALA.com.

Nucala
(mepolizumab)
Injection 100 mg/mL

IT'S A DIFFERENT KIND OF TREATMENT

It's NOT a steroid. Most people with EGPA are prescribed steroids as their first treatment, so you may be familiar with them. One goal of therapy in EGPA is to minimize steroid dose to help reduce steroid-related complications.

NUCALA IS a once-monthly* add-on biologic treatment that can help decrease your oral steroid dose. You take it as 3 separate injections without needing to leave the house.

Results may vary.
*Every 4 weeks.



**ONCE A MONTH. AT HOME.
ON YOUR TIME.**

At home not for you? No problem. You can get your NUCALA injections at your doctor's office every 4 weeks.

Just know, it's important to monitor for serious allergic reactions after injection, either in your doctor's office or at home. Sometimes serious allergic reactions, including anaphylaxis, can occur hours or days after administration of NUCALA.

Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your other medicines, including your corticosteroid medicines, unless instructed by your healthcare provider because this may cause other symptoms to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if NUCALA may harm your unborn baby.

Please see additional Important Safety Information throughout. Please see full [Prescribing Information](#), including [Patient Information](#), for NUCALA at [NUCALA.com](#).

LONGER TIME IN REMISSION[†]
FEWER RELAPSES PER YEAR[‡]
LOWER ORAL STEROID DOSE

Results may vary.

[†]“Remission” was defined as no active vasculitis and a prednisone or prednisolone dose less than or equal to 4 mg per day.


[‡]“Relapse” was defined as worsening symptoms that required increased steroid dose, and/or increase in dose or start of immunosuppressants, and/or hospitalization.

Nucala
(mepolizumab)
Injection 100 mg/mL

KEEP THE CONVERSATION GOING.

Establishing a partnership with your doctor is an important part of the EGPA process. Some key things to talk about:

- 1 Share all the symptoms you're experiencing** →
Being completely open and honest about all your symptoms, whether you think they're related to EGPA or not, can help your doctor give you a proper diagnosis.
- 2 Ask about a blood test** →
You'll need to get blood testing to measure your eosinophils, which will be part of determining if you have EGPA.
- 3 Discuss your treatment options** →
Ask your doctor about NUCALA and if it might be the right next step for you.



Nucala
(mepolizumab)
Injection 100 mg/mL

ONCE YOU'RE PRESCRIBED...

Together with NUCALA is here to help. Together with NUCALA is more than a program—it's our promise to support you through the moments that matter in your care.

together with **Nucala**
(mepolizumab)



COVERAGE SUPPORT

We'll check your insurance coverage and help you understand your benefits.*



COST SUPPORT

Whether you're insured or not, we're here to let you know about the options to help pay for NUCALA if you are eligible.



PATIENT SUPPORT

Your Patient Navigator is at the heart of our program, offering tailored support throughout your treatment journey.†

Ready to learn more?

Visit [TogetherwithNUCALA.com](https://www.togetherwithnucala.com) or call 1-844-Call-TwGSK (844-225-5894).

*The information provided by Together with NUCALA is not a guarantee of coverage or payment.

†Your Patient Navigator does not provide medical advice and is not a part of your doctor's care team. Please ask your doctor any questions that you might have about your disease and treatment with NUCALA.

Are you commercially insured? Pay as little as \$0 for NUCALA.

Subject to program maximums.‡

The NUCALA Copay Program helps eligible commercially insured patients with their eligible out-of-pocket costs for NUCALA.

‡Program annual maximums apply. Visit [NucalaCopayProgram.com](https://www.NucalaCopayProgram.com) for information about eligibility and full program terms and conditions.

Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you (cont'd):

- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use NUCALA and breastfeed. You should not do both without talking with your healthcare provider first.
- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements.

The most common side effects of NUCALA include: headache, injection site reactions (pain, redness, swelling, itching, or a burning feeling at the injection site), back pain, and tiredness (fatigue).

Please see additional Important Safety Information throughout.

Please see full [Prescribing Information](#), including [Patient Information](#), for NUCALA at [NUCALA.com](https://www.nucala.com).

TREATMENT WORTH TALKING ABOUT

NUCALA is the first FDA-approved treatment for EGPA and targets inflammation and reduces eosinophils. Think:

- **LONGER TIME IN REMISSION**
- **FEWER RELAPSES PER YEAR**
- **LOWER ORAL STEROID DOSE**

Results may vary.

TAKE THE NEXT STEPS.

Talk to your specialist about NUCALA to see if it could be right for you and visit [NUCALA.com/EGPA](https://www.nucala.com/EGPA) for more information.



Taken as 3 separate injections every 4 weeks.

Important Safety Information (cont'd)

Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA.

NUCALA can cause serious side effects, including:

- **allergic (hypersensitivity) reactions, including anaphylaxis.** Serious allergic reactions can happen after you get your NUCALA injection. Allergic reactions can sometimes happen hours or days after you get a dose of NUCALA.

Please see additional Important Safety Information throughout.

Please see full [Prescribing Information](#), including [Patient Information](#), for NUCALA at [NUCALA.com](https://www.nucala.com).

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call **1-800-FDA-1088**. You may also report negative side effects to GSK at gsk.public.reportum.com or **1-888-825-5249**.

If you have questions about how to access or pay for NUCALA, call **1-844-Call-TwGSK (844-225-5894)**.

Trademarks are owned by or licensed to the GSK group of companies.

©2025 GSK or licensor.
PMUS-MPLBROC250026 December 2025
Produced in USA. 0002-0043-18

Nucala } **GSK**
(mepolizumab)