HES HYPEREOSINOPHILIC SYNDROME
IT'S TIME TO
RETHINK HES.
Nucala
(mepolizumab)
Approved Use
NUCALA is a prescription medicine for the treatment of people 12 years of age and older with hypereosinophilic syndrome (HES) for 6 months or more.
Important Safety Information
Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA.
Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.

HES SYMPTOMS LOOK DIFFERENT FOR EVERYBODY

HES is a group of rare blood disorders and can be difficult to diagnose. That's because symptoms of HES can be vague, including a general feeling of being unwell. Without treatment, your symptoms can become increasingly worse.

THE IMPACT OF HES ON THE BODY

Symptoms can vary and affect different parts of the body like:

- Lungs
- Heart
- Skin
- Stomach & intestines
- Brain & nervous system



LET'S TALK SCIENCE

When it comes to HES, **it's important to understand the role of eosinophils**—normal white blood cells that naturally occur in your body.

If you have HES, you have increased levels of eosinophils that can lead to inflammation. This inflammation can worsen your symptoms and cause an HES flare.

NUCALA TARGETS INFLAMMATION & REDUCES EOSINOPHILS*

NUCALA helps target inflammation that can trigger flare-ups by reducing eosinophils and getting them back within normal levels. Interested in knowing more? **See how NUCALA works**.

*It is not fully understood how NUCALA works.

WHAT'S NEXT?

Talk to your doctor about all of your symptoms and **ask about simple blood testing to measure your eosinophil count.**

Important Safety Information (cont'd)

NUCALA can cause serious side effects, including:

- **allergic (hypersensitivity) reactions, including anaphylaxis**. Serious allergic reactions can happen after you get your NUCALA injection. Allergic reactions can sometimes happen hours or days after you get a dose of NUCALA. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction: swelling of your face, mouth, and tongue; breathing problems; fainting, dizziness, feeling lightheaded (low blood pressure); rash; hives.
- **Herpes zoster infections** that can cause shingles have happened in people who received NUCALA.

Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.

Nucala (mepolizumab) Injection 100 mg/mL

IT'S A DIFFERENT KIND OF HES TREATMENT

Not an inhaler or a steroid—it's a biologic. NUCALA is a once-monthly* treatment you take as 3 separate injections. You know what else? With the Autoinjector, you can take your injections right at home.

ONCE A MONTH. AT HOME. ON YOUR TIME.

*Every 4 weeks.

Prefer getting your injections at your specialist's office? No problem. You can get your NUCALA injections at your specialist's office every 4 weeks.

It's important to monitor for serious allergic reactions after injection, either in your specialist's office or at home. Sometimes serious allergic reactions, including anaphylaxis, can happen hours or days after you get your NUCALA injections.

Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your other medicines, including your corticosteroid medicines, unless instructed by your healthcare provider because this may cause other symptoms to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if NUCALA may harm your unborn baby.

Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.

READY TO START TALKING?

Having an honest conversation with your specialist is an important part of the HES process. Here are some tips to get started:

1. **Share all the symptoms you're experiencing →**
   Be completely open and honest about all your symptoms, whether you think they're HES related or not, to help your specialist determine your diagnosis.

2. **Ask about simple blood testing →**
   Measuring your eosinophil levels with simple blood testing, along with reviewing your medical history and other information, can help your specialist diagnose HES.

3. **Discuss treatment options →**
   Ask your specialist about NUCALA and if it might be the right next step for you.

ONCE YOU'RE PRESCRIBED...

Together with NUCALA is here to help. Together with NUCALA is more than a program—it's our promise to support you through the moments that matter in your care.

together with Nucala (mepolizumab)

COVERAGE SUPPORT
We'll check your insurance coverage and help you understand your benefits.*

COST SUPPORT
Whether you're insured or not, we're here to let you know about the options to help pay for NUCALA if you are eligible.

PATIENT SUPPORT
Your Patient Navigator is at the heart of our program, offering tailored support throughout your treatment journey.†

Ready to learn more?
Visit **TogetherwithNUCALA.com** or call 1-844-Call-TwGSK (844-225-5894).

*The information provided by Together with NUCALA is not a guarantee of coverage or payment.

†Your Patient Navigator does not provide medical advice and is not a part of your doctor's care team. Please ask your doctor any questions that you might have about your disease and treatment with NUCALA.

Are you commercially insured? Pay as little as $0 for NUCALA.
Subject to program maximums.‡

The NUCALA Copay Program helps eligible commercially insured patients with their eligible out-of-pocket costs for NUCALA.

‡Program annual maximums apply. Visit NucalaCopayProgram.com for information about eligibility and full program terms and conditions.

Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you (cont'd):

- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use NUCALA and breastfeed. You should not do both without talking with your healthcare provider first.
- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements.

The most common side effects of NUCALA include: headache, injection site reactions (pain, redness, swelling, itching, or a burning feeling at the injection site), back pain, and tiredness (fatigue).

Please see additional Important Safety Information throughout.
Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.

FED UP WITH HES? LET'S GET TO IT

It's not an inhaler or a steroid. NUCALA is a once-monthly* treatment you take as 3 separate injections that targets inflammation by reducing eosinophils.†

*Every 4 weeks.
†It is not fully understood how NUCALA works.

THINK:

LESS **FATIGUE**‡
FEWER **FLARES**§
REDUCED **SYMPTOMS**

Results may vary.
‡In a study, patients reported an improvement in their worst level of fatigue compared to those not taking NUCALA.
§Flares were defined as worsening of signs and symptoms of HES or an increase in blood eosinophils (on at least 2 exams) that required increased steroids or increase/addition of other HES therapy.

Visit **NUCALA.com/HES** for more information.

Important Safety Information (cont'd)

Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA.

Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for NUCALA at NUCALA.com.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit **www.fda.gov/medwatch** or call **1-800-FDA-1088**. You may also report negative side effects to GSK at **gsk.public.reportum.com** or **1-888-825-5249**.

If you have questions about how to access or pay for NUCALA, call **1-844-Call-TwGSK** (**844-225-5894**).

Trademarks are owned by or licensed to the GSK group of companies.

©2025 GSK or licensor.
PMUS-MPLBROC250024 December 2025
Produced in USA. 0002-0043-63

Nucala (mepolizumab) GSK