

**SEVERE
EOSINOPHILIC
ASTHMA**

IT'S TIME TO OUTSMART YOUR ASTHMA.

Nucala 
(mepolizumab)

Approved Use

NUCALA is an add-on, prescription maintenance treatment for patients 6 and older with severe eosinophilic asthma. NUCALA is not used to treat sudden breathing problems.

Important Safety Information

Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA.

Do not use to treat sudden breathing problems.

Please see additional Important Safety Information throughout. Please see full Prescribing Information, including Patient Information, for NUCALA at [NUCALA.com](https://www.nucala.com).

MAYBE YOUR ASTHMA ISN'T JUST ASTHMA

If you're taking asthma medications regularly and still struggling with symptoms, your severe asthma isn't under control. **IT'S. NOT. YOU.**

SOME SIGNS OF UNCONTROLLED ASTHMA:



Activities limited because of your asthma



Symptoms waking you up in the middle of the night



Treating with oral steroids more than twice a year



Using a rescue inhaler more than twice a week

SOUND LIKE YOU?

Be honest with your specialist about ongoing struggles and how often you experience symptoms. Your asthma could be uncontrolled and need a targeted type of treatment.

LET'S TALK SCIENCE

Eosinophils could be causing your asthma inflammation. They are normal white blood cells that are part of your immune system. Too many of them may lead to inflammation in your lungs, which can cause severe asthma attacks.



NUCALA TARGETS INFLAMMATION & REDUCES EOSINOPHILS*

NUCALA treats more than your symptoms of your severe asthma; this may help you improve asthma control and reduce your oral steroid use.

Results may vary.
*It is not fully understood how NUCALA works.

SO, WHAT'S NEXT FOR YOU?

Ask a specialist to measure your eosinophil levels through simple blood testing. It could help determine if you have severe eosinophilic asthma—SEA.

Important Safety Information (cont'd)

NUCALA can cause serious side effects, including:

- **allergic (hypersensitivity) reactions, including anaphylaxis.** Serious allergic reactions can happen after you get your NUCALA injection. Allergic reactions can sometimes happen hours or days after you get a dose of NUCALA. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction: swelling of your face, mouth, and tongue; breathing problems; fainting, dizziness, feeling lightheaded (low blood pressure); rash; hives.
- **herpes zoster infections** that can cause shingles have happened in people who received NUCALA.

Please see additional Important Safety Information throughout. Please see full [Prescribing Information](#), including [Patient Information](#), for NUCALA at [NUCALA.com](#).

Nucala 
(mepolizumab)
Injection 100 mg/mL

IT'S A DIFFERENT KIND OF TREATMENT

Not an inhaler. Not a steroid. It's a once-monthly* add-on injection for severe eosinophilic asthma. And, with the easy-to-use Autoinjector,^{††} you can take your injection without leaving the house.



**ONCE A MONTH.
EASY-TO-USE.
ON YOUR TIME.**

*Every 4 weeks.

[†]Autoinjector for patients 12+.

^{††}Severe asthma patients rated as easy-to-use after training. See full Instructions for Use.

At home not for you? No problem. You can get your NUCALA injections at your specialist's office every 4 weeks.

Just know, it's important to monitor for serious allergic reactions after injection, either in your specialist's office or at home. Sometimes serious allergic reactions, including anaphylaxis, can occur hours or days after administration of NUCALA.

Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your other asthma medicines, including your corticosteroid medicines, unless instructed by your healthcare provider because this may cause other symptoms to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if NUCALA may harm your unborn baby.

Please see additional Important Safety Information throughout.

Please see full **Prescribing Information**, including **Patient Information**, for NUCALA at NUCALA.com.

THINK:

**LESS ASTHMA
ATTACKS**

**LESS ORAL
STEROIDS**

**LESS ASTHMA-RELATED
HOSPITAL VISITS**

Results may vary.

**PEOPLE HAVE
BEEN TALKING.**

Hear from real patients about where they've been and how NUCALA stepped in. Check it out at NUCALA.com/RealPatients.

Nucala
(mepolizumab)
Injection 100 mg/mL

LET'S NOT OVERTHINK THIS.

The first step is having an honest conversation with your specialist. Things to keep in mind:

- 1 Share your symptoms**
Could my asthma be uncontrolled?
- 2 Discuss simple blood testing**
Do I need a blood test to measure my eosinophil levels?
- 3 Ask about your treatment options**
Is NUCALA the next step for me?

Nucala
(mepolizumab)
Injection 100 mg/mL

ONCE YOU'RE PRESCRIBED...

Together with NUCALA is here to help. Together with NUCALA is more than a program—it's our promise to support you through the moments that matter in your care.

together
with

Nucala
(mepolizumab)



COVERAGE SUPPORT

We'll check your insurance coverage and help you understand your benefits.*



COST SUPPORT

Whether you're insured or not, we're here to let you know about the options to help pay for NUCALA if you are eligible.



PATIENT SUPPORT

Your Patient Navigator is at the heart of our program, offering tailored support throughout your treatment journey.†

Ready to learn more?

Visit [TogetherwithNUCALA.com](https://www.togetherwithnucala.com) or call [1-844-Call-TwGSK \(844-225-5894\)](tel:1-844-Call-TwGSK).

*The information provided by Together with NUCALA is not a guarantee of coverage or payment.

†Your Patient Navigator does not provide medical advice and is not a part of your doctor's care team. Please ask your doctor any questions that you might have about your disease and treatment with NUCALA.

Are you commercially insured? Pay as little as \$0 for NUCALA.

Subject to program maximums.‡

The NUCALA Copay Program helps eligible commercially insured patients with their eligible out-of-pocket costs for NUCALA.

‡Program annual maximums apply. Visit [NucalaCopayProgram.com](https://www.NucalaCopayProgram.com) for information about eligibility and full program terms and conditions.

Important Safety Information (cont'd)

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you (cont'd):

- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use NUCALA and breastfeed. You should not do both without talking with your healthcare provider first.
- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements.

The most common side effects of NUCALA include: headache, injection site reactions (pain, redness, swelling, itching, or a burning feeling at the injection site), back pain, and tiredness (fatigue).

Please see additional Important Safety Information throughout. Please see full [Prescribing Information](#), including [Patient Information](#), for NUCALA at [NUCALA.com](https://www.nucala.com).

TREATMENT DONE DIFFERENTLY

NUCALA is a different type of treatment.

NUCALA is not an inhaler. Not a steroid. It's a biologic that targets inflammation and reduces eosinophils.

THINK:

LESS ASTHMA ATTACKS

LESS ORAL STEROIDS

LESS ASTHMA-RELATED HOSPITAL VISITS

Results may vary.
It is not fully understood how NUCALA works.



9+ YEARS IN MARKET.

Visit [NUCALA.com/SEA](https://www.nucala.com/SEA) for more information.

Important Safety Information (cont'd)

Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA.

Do not use to treat sudden breathing problems.

Please see additional Important Safety Information throughout.

Please see full [Prescribing Information](#), including [Patient Information](#), for NUCALA at [NUCALA.com](https://www.nucala.com).

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call **1-800-FDA-1088**. You may also report negative side effects to GSK at gsk.public.reportum.com or **1-888-825-5249**.

If you have questions about how to access or pay for NUCALA, call **1-844-Call-TwGSK (844-225-5894)**.

Trademarks are owned by or licensed to the GSK group of companies.

©2025 GSK or licensor.
PMUS-MPLBROC250027 December 2025
Produced in USA. 0002-0043-19

Nucala } **GSK**
(mepolizumab)