Is your asthma different?

Asthma is not one-size-fits-all. Your symptoms could be more severe and impact your life more than another asthma sufferer's. If so, it might be time to rethink your asthma.



NUCALA is an add-on, prescription maintenance treatment for patients 12 and older with severe eosinophilic asthma. NUCALA is not used to treat sudden breathing problems.


Think about the past 12 months. Now, think about your asthma during that time. As you start to think about your life with asthma, which statements below are true for you?



Anything else?

Now that you've identified your asthma experience in the past 12 months, color in the corresponding sections of the lungs that applied to you.

If you colored in even one of these, then asthma may be an even bigger part of your life than you thought.



Talk to your doctor about your asthma and whether adding NUCALA can help.

Important Safety Information

Do not use NUCALA if you are allergic to mepolizumab or any of the ingredients in NUCALA. Do not use to treat sudden breathing problems.

Please see additional Important Safety Information on the back of this page.

Did you color in any of the lungs? Your asthma may be severe.

Doctors consider asthma to be severe if, to keep your asthma controlled, you need to use:

- asthma controller medicines, including high-dose inhaled corticosteroids
- a rescue inhaler as needed
- oral corticosteroids (steroids) like prednisone, either short term or every day

People with severe asthma may find their asthma more difficult to control and they may experience more asthma-related symptoms and more frequent attacks.

Is it time to ask your doctor about adding NUCALA?

Important Safety Information (cont'd)

NUCALA can cause serious side effects, including:

- allergic (hypersensitivity) reactions, including anaphylaxis. Serious allergic reactions can happen after you get your injection of NUCALA. Allergic reactions can sometimes happen hours or days after you get a dose of NUCALA. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction:
 - swelling of your face, mouth, and tongue rash
 - breathing problems
 - fainting, dizziness, feeling light-headed (low blood pressure)
- Herpes zoster infections that can cause shingles have happened in people who received NUCALA.

hives

Before receiving NUCALA, tell your healthcare provider about all of your medical conditions, including if you:

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your other asthma medicines, including your corticosteroid medicines, unless instructed by your healthcare provider because this may cause other symptoms to come back.
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if NUCALA may harm your unborn baby.
 A pregnancy registry for women who receive NUCALA while pregnant collects information about the health of you and your baby. You can talk to your healthcare provider about how to take part in this registry or you can get more information and register by calling 1-877-311-8972 or visit www.mothertobaby.org/asthma.
- are breastfeeding or plan to breastfeed. You and your healthcare provider should decide if you will use NUCALA and breastfeed. You should not do both without talking with your healthcare provider first.
- are taking prescription and over-the-counter medicines, vitamins, and herbal supplements.

The most common side effects of NUCALA include: headache, injection site reactions (pain, redness, swelling, itching, or a burning feeling at the injection site), back pain, and weakness (fatigue).

Please see Important Facts about NUCALA included in this mailing.

Please see full Prescribing Information, including Patient Information Leaflet, for NUCALA available at NUCALA.com.

Trademarks are owned by or licensed to the GSK group of companies.



